



Safety Data Sheet

according to 1907/2006/EC, Article 31

Date: 08.12.2009

Replaces: 05.02.2009

Ref: 0183.3.DB/DR

Page 1 of 5

1 Identification of the substance/preparation and of the company/undertaking

· **Product details**

· **Trade name:** SX CONTRACTORS LMN SILICONE

· **Application of the substance / the preparation** Sealant

· **Manufacturer/Supplier:**

SIROFLEX LIMITED
 Dodworth Business Park,
 Dodworth,
 Barnsley,
 South Yorkshire,
 S75 3SP.
 Tel: 01226 771600
 Fax: 01226 771601

· **Further information obtainable from:**

www.siroflex.co.uk
 info@siroflex.co.uk

· **Information in case of emergency:**

info@siroflex.co.uk
 Tel.: 01226 771600

2 Hazards identification

· **Hazard description:**



Xn Harmful

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 40 Limited evidence of a carcinogenic effect.

R 43 May cause sensitisation by skin contact.

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

· **Chemical characterization**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 64742-46-7 EINECS: 265-148-2	Distillates (petroleum), hydrotreated middle Xn; R 65	10-30%
CAS: 96-29-7 EINECS: 202-496-6	2-butanone oxime Xn, Xi; R 21-40-41-43	1-5%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 2)



Safety Data Sheet according to 1907/2006/EC, Article 31

Date: 08.12.2009

Replaces: 05.02.2009

Ref: 0183.3.DB/DR

Page 2 of 5

Trade name: SX CONTRACTORS LMN SILICONE

(Contd. of page 1)

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

5 Fire-fighting measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Person-related safety precautions:**
 - Ensure adequate ventilation
 - Wear protective clothing.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
 - Pick up mechanically.
 - Dispose contaminated material as waste according to item 13.
- **Additional information:** See Section 8 for information on personal protection equipment.

7 Handling and storage

- **Handling:**
- **Information for safe handling:** Use only in well ventilated areas.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

8 Exposure controls/personal protection


- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 3)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Date: 08.12.2009

Replaces: 05.02.2009

Ref: 0183.3.DB/DR

Page 3 of 5

Trade name: SX CONTRACTORS LMN SILICONE

(Contd. of page 2)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling

9 Physical and chemical properties

- **General Information**

Form:	Pasty
Colour:	Various colours
Odour:	Characteristic

- **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: > 300°C

- **Flash point:** > 100°C

- **Ignition temperature:** 200°C

- **Self-igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: Undetermined.

Upper: Undetermined.

- **Vapour pressure:** Undetermined.

- **Density at 20°C:** 0.97 g/cm³

- **Solubility in / Miscibility with water:** Insoluble.

- **pH-value:** Undetermined.

- **Solvent content:**

VOC (EC) 0.00 %

VOC (EC) g/l

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

- **Dangerous reactions** No dangerous reactions known.

- **Dangerous decomposition products:** 2-butanonoxim

GB

(Contd. on page 4)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Date: 08.12.2009

Replaces: 05.02.2009

Ref: 0183.3.DB/DR

Page 4 of 5

Trade name: SX CONTRACTORS LMN SILICONE

(Contd. of page 3)

11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

64742-46-7 Distillates (petroleum), hydrotreated middle		
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
96-29-7 2-butanone oxime		
Oral	LD50	3700 mg/kg (rat)
Dermal	LD50	200-2000 mg/kg (rat)
Inhalative	LC50/4 h	20 mg/l (rat)

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

- Irritant

- **Sensitisation** May cause sensitisation by skin contact.

12 Ecological information

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 04 09	waste adhesives and sealants containing organic solvents or other dangerous substances
----------	--

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **Land transport ADR/RID (cross-border)**

- **ADR/RID class:** -

- **Maritime transport IMDG:**

- **IMDG Class:** -

(Contd. on page 5)



Safety Data Sheet according to 1907/2006/EC, Article 31

Date: 08.12.2009

Replaces: 05.02.2009

Ref: 0183.3.DB/DR

Page 5 of 5

Trade name: SX CONTRACTORS LMN SILICONE

(Contd. of page 4)

- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -

15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**



Xn Harmful

· **Hazard-determining components of labelling:**

2-butanone oxime

· **Risk phrases:**

- 40 Limited evidence of a carcinogenic effect.
- 43 May cause sensitisation by skin contact.

· **Safety phrases:**

- 2 Keep out of the reach of children.
- 36/37 Wear suitable protective clothing and gloves.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant R-phrases**

- 21 Harmful in contact with skin.
- 40 Limited evidence of a carcinogenic effect.
- 41 Risk of serious damage to eyes.
- 43 May cause sensitisation by skin contact.
- 65 Harmful: may cause lung damage if swallowed.

· **Department issuing MSDS:** Product safety department.

· **Contact:** Mr. C.J.A. Timmermans